



## BID SUPPLEMENT

In reference to Invitation to Bid for the *Procurement of Office Equipment to be delivered at Various Offices, Lingayen, Pangasinan* with an Approved Budget for the Contract of *Six Hundred Thirty Seven Thousand Five Hundred Pesos (P637,500.00)* Only which was published, where certain components and technical specifications has been overlooked when being encoded. Thus, said procurement shall have the following revisions:

| FROM  | TO   |
|---|--|
| <i>Section III. Bid Data Sheet</i>  | <i>Section III. Bid Data Sheet</i>   |
| <p><b>Clause 19.3</b> One lot consisting of 1 unit of Smart Television Specifications/ Minimum Requirements: Resolution: Ultra HD, Screen size: minimum of 55", Ports: 2 HDMI, 1 USB, Length: at least 15.99cm, Height at least 64.42cm, Width: at least 111.68cm, Connectivity: Bluetooth, Wifi, 1 unit of Smart Television Specifications/ Minimum Requirements: Resolution: Full HD, Screen size: minimum of 43", Ports: 2 HDMI, 1USB, Length: at least 15.95cm, Height: at least 59.06cm, Width: at least 96.74cm, Plug and Play features, 3 unit of Split type aircon Specifications/ Minimum Requirements: Inverter-type, 2HP, Capacity: 16,560 kJ/hr (2,988-18,000), Power Input: 1,425W (230- 1,725), Power supply: 1Ph, 230V, 60Hz, EER: 11.6 kJ / W- hr (13.0- 10.4), Refrigerant: R32, with installation, ), 1 unit of Flatbed Scanner Specifications/ Minimum Requirements: Scan Resolution: Hardware- up to 600dpi, Optical- up to 600ppi, Color depth: 24-bit, Scan speed: up to 120ppm/240ipm(b&amp;w), up to 120ppm/, 240ipm colour ADF (letter), Interface: 10/100/1000 ethernet, 1 hi-speed USB host: rear, 2 hi-speed USB host: walk-up, 1 hardware integration (HIP) hi-speed USB, 1 USB port (rear), Maximum scanning size: ADF: 11.7x17 in; 11.7x34in (long can size), Flatbed: 11.7x17in, Duplex ADF scanning, Auto documents feeder capacity: 200 sheets, 75gsm, Output Resolution DPI Settings: 75; 150; 200; 300; 400; 600, Digital Sending Features: scan to email, save t network folder; save to usb drive, send to FTP, send to LAN fax, Duty cycle (Dily) Recommended daily duty cycle: 20,000pages, Media Types: ADF: (Plain, Inkjet, Inkjet brochure/glossy), photopaper, Flatbed: All ADF Media, envelopes, labes, cards, books, with demo on how to use and operate the unit, one (1) year warranty, delivery period: within the (10) days</p> | <p><b>Clause 19.3</b> One lot consisting of 1 unit of Smart Television Specifications/ Minimum Requirements: Resolution: Ultra HD, Screen size: minimum of 55", Ports: 2 HDMI, 1 USB, Length: at least 15.99cm, Height at least 64.42cm, Width: at least 111.68cm, Connectivity: Bluetooth, Wifi, 1 unit of Smart Television Specifications/ Minimum Requirements: Resolution: Full HD, Screen size: minimum of 43", Ports: 2 HDMI, 1USB, Length: at least 15.95cm, Height: at least 59.06cm, Width: at least 96.74cm, Plug and Play features, 3 unit of Split type aircon Specifications/ Minimum Requirements: Inverter-type, 2HP, Capacity: 16,560 kJ/hr (2,988-18,000), Power Input: 1,425W (230- 1,725), Power supply: 1Ph, 230V, 60Hz, EER: 11.6 kJ / W- hr (13.0- 10.4), Refrigerant: R32, <b>with free installation</b> ), 1 unit of Flatbed Scanner Specifications/ Minimum Requirements: Scan Resolution: Hardware- up to 600dpi, Optical- up to 600ppi, Color depth: 24-bit, Scan speed: up to 120ppm/240ipm(b&amp;w), up to 120ppm/, 240ipm colour ADF (letter), Interface: 10/100/1000 ethernet, 1 hi-speed USB host: rear, 2 hi-speed USB host: walk-up, 1 hardware integration (HIP) hi-speed USB, 1 USB port (rear), Maximum scanning size: ADF: 11.7x17 in; 11.7x34in (long can size), Flatbed: 11.7x17in, Duplex ADF scanning, Auto documents feeder capacity: 200 sheets, 75gsm, Output Resolution DPI Settings: 75; 150; 200; 300; 400; 600, Digital Sending Features: scan to email, save t network folder; save to usb drive, send to FTP, send to LAN fax, Duty cycle (Dily) Recommended daily duty cycle: 20,000pages, Media Types: ADF: (Plain, Inkjet, Inkjet brochure/glossy), photopaper, Flatbed: All ADF Media, envelopes, labes, cards, books, with demo on how to use and operate the unit, one (1) year warranty, delivery period: within the (10) days</p> |

Head of Procuring Entity

MON. LEOPOLDO N. BATADIL  
 Municipal Mayor

Chairperson

JOAN JUDE R. LOPEZ, II, B, MDW.  
 Municipal Civil Registrar

Vice-Chairperson

ROBERTO DG. SYLIM  
 Municipal Administrator

BAC Members:

JEANNE RAYDAN, GOMEZ  
 Municipal Budget Officer

ATTY. DOMINIQUE C. EVANGELISTA  
 Municipal Legal Officer

RAUL A. UNGSON  
 Chief Administrative Officer

ENGR. JEROME V. CANILLAS  
 Municipal Assessor

ARCH. NELCO PAUL P. CDQUIA, Enp  
 MPOC

Technical Working Group:

LARRY B. FLORES  
 Municipal General Services Officer

ENGR. JOHN SIVESTER A. TAPIA  
 Municipal Engineer

NELSON S. GUMAPO  
 Municipal Accountant

BAC Secretariat:

AARULFO S. BERNARDO  
 Market Supervisor IV – HEAD

SHARON S. SISON  
 Administrative Officer IV

ARFANNE GRACE M. DE GUZMAN  
 Administrative Officer III

CEZAR IAN B. FERNANDEZ  
 Security Officer II

MYRA B. GARCIA  
 Revenue Collection Clerk II



Republic of the Philippines  
**MUNICIPALITY OF LINGAYEN**  
 Province of Pangasinan

| <b>Section VI. Schedule of Requirements</b>  |          | <b>Section VI. Schedule of Requirements</b>  |          |
|--|----------|--|----------|
| Description  | Quantity | Description  | Quantity |
| <p><b>Item Number 3.</b></p> <p><b>Split-type aircon</b><br/>           Specifications/Minimum Requirements:<br/>           Inverter- type, 2HP<br/>           Capacity: 16, 560 kJ / hr (2,988-18,000)<br/>           Power Input: 1, 425 W (230- 1, 725)<br/>           Power Supply: 1Ph, 230V, 60Hz<br/>           EER:11.6 kJ/ W-hr (13.0- 10.4)<br/>           Refrigerant: R32<br/>           With installation<br/>           -----nothing follows-----</p>      | 3 units  | <p><b>Item Number 3.</b></p> <p><b>Split-type aircon</b><br/>           Specifications/Minimum Requirements:<br/>           Inverter- type, 2HP<br/>           Capacity: 16, 560 kJ / hr (2,988-18,000)<br/>           Power Input: 1, 425 W (230- 1, 725)<br/>           Power Supply: 1Ph, 230V, 60Hz<br/>           EER:11.6 kJ/ W-hr (13.0- 10.4)<br/>           Refrigerant: R32<br/> <b>With free installation</b><br/>           -----nothing follows-----</p>    | 3 units  |
| <b>Section VII. Technical Specifications</b>   |          | <b>Section VII. Technical Specifications</b>   |          |
| <p>Procurement of Office Equipment to be delivered at various offices, Lingayen, Pangasinan</p> <p>1. Smart Television<br/>           Specifications/ Minimum Requirements:<br/>           Resolution: Ultra HD<br/>           Screen size; minimum of 55"<br/>           Ports: 2 HDMI, 1 USB<br/>           Length: at least 15.99cm<br/>           Height: at least 64.42cm<br/>           Width: at least 111.68cm<br/>           Connectivity: Bluetooth, Wi fi</p> |          | <p>Procurement of Office Equipment to be delivered at various offices, Lingayen, Pangasinan</p> <p>1. Smart Television<br/>           Specifications/ Minimum Requirements:<br/>           Resolution: Ultra HD<br/>           Screen size; minimum of 55"<br/>           Ports: 2 HDMI, 1 USB<br/>           Length: at least 15.99cm<br/>           Height: at least 64.42cm<br/>           Width: at least 111.68cm<br/>           Connectivity: Bluetooth, Wi fi</p> |          |
| <p>2. Smart Television<br/>           Specifications/ Minimum Requirements;<br/>           Resolution: Full HD<br/>           Screen size; minimum of 43"<br/>           Ports: 2 HDMI, 1USB<br/>           Length: at least 15.95cm<br/>           Height: at least 59.95cm<br/>           Width: at least 96.74cm<br/>           Plug and Play features<br/>           -----nothing follows-----</p>   |          | <p>2. Smart Television<br/>           Specifications/ Minimum Requirements;<br/>           Resolution: Full HD<br/>           Screen size; minimum of 43"<br/>           Ports: 2 HDMI, 1USB<br/>           Length: at least 15.95cm<br/>           Height: at least 59.95cm<br/>           Width: at least 96.74cm<br/>           Plug and Play features<br/>           -----nothing follows-----</p>   |          |
| <p>3. Split-type aircon<br/>           Specifications/ Minimum Requirements:<br/>           Inverter- type, 2 HP<br/>           Capacity: 16,560kj / hr (2,988, 18,000)<br/>           Power Input: 1,425W (230- 1725)<br/>           Power Supply: 1Ph, 230V, 60Hz<br/>           EER: 11.6kJ/ W-hr(13.0- 10.4)<br/>           Refrigerant: R32<br/>           With installation<br/>           -----nothing follows-----</p>   |          | <p>3. Split-type aircon<br/>           Specifications/ Minimum Requirements:<br/>           Inverter- type, 2 HP<br/>           Capacity: 16,560kj / hr (2,988, 18,000)<br/>           Power Input: 1,425W (230- 1725)<br/>           Power Supply: 1Ph, 230V, 60Hz<br/>           EER: 11.6kJ/ W-hr(13.0- 10.4)<br/>           Refrigerant: R32<br/> <b>With free installation</b><br/>           -----nothing follows-----</p>   |          |



Republic of the Philippines  
**MUNICIPALITY OF LINGAYEN**  
Province of Pangasinan

|   |   |
|---|---|
| <p>4. Flatbed Scanner<br/>Specifications/ Minimum Requirements:<br/>Scan Resolution: Hardware- up to 600dpi,<br/>Optical- up to 600ppi<br/>Color depth: 24-bit<br/>Scan speed: up to 120ppm/240ipm(b&amp;w),<br/>up to 120ppm/<br/>240ipm colour ADF (letter)<br/>Interface: 10/100/1000 ethernet<br/>1 hi-speed USB host: rear<br/>2 hi-speed USB host: walk-up<br/>1 hardware integration (HIP) hi-speed<br/>USB, 1 USB port (rear),<br/>Maximum scanning size: ADF: 11.7x17<br/>in; 11.7x34in (long can size), Flatbed:<br/>11.7x17in<br/>Duplex ADF scanning<br/>Auto documents feeder capacity: 200<br/>sheets, 75gsm<br/>Output Resolution DPI Settings: 75; 150;<br/>200; 300; 400; 600<br/>Digital Sending Features: scan to email;<br/>save t network folder; save to usb drive,<br/>send to FTP, send to LAN fax<br/>Duty cycle (Dily) Recommended daily<br/>duty cycle: 20,000pages<br/>Media Types: ADF: (Plain, Inkjet, Inkjet<br/>brochure/glossy), photopaper, Flatbed: All<br/>ADF Media, envelopes, labes, cards,<br/>books<br/>with demo on how to use and operate the<br/>unit<br/>one (1) year warranty<br/>delivery period: within the (10) days<br/>-----nothing follows-----</p> | <p>4. Flatbed Scanner<br/>Specifications/ Minimum Requirements:<br/>Scan Resolution: Hardware- up to 600dpi,<br/>Optical- up to 600ppi<br/>Color depth: 24-bit<br/>Scan speed: up to 120ppm/240ipm(b&amp;w),<br/>up to 120ppm/<br/>240ipm colour ADF (letter)<br/>Interface: 10/100/1000 ethernet<br/>1 hi-speed USB host: rear<br/>2 hi-speed USB host: walk-up<br/>1 hardware integration (HIP) hi-speed<br/>USB, 1 USB port (rear),<br/>Maximum scanning size: ADF: 11.7x17<br/>in; 11.7x34in (long can size), Flatbed:<br/>11.7x17in<br/>Duplex ADF scanning<br/>Auto documents feeder capacity: 200<br/>sheets, 75gsm<br/>Output Resolution DPI Settings: 75; 150;<br/>200; 300; 400; 600<br/>Digital Sending Features: scan to email;<br/>save t network folder; save to usb drive,<br/>send to FTP, send to LAN fax<br/>Duty cycle (Dily) Recommended daily<br/>duty cycle: 20,000pages<br/>Media Types: ADF: (Plain, Inkjet, Inkjet<br/>brochure/glossy), photopaper, Flatbed: All<br/>ADF Media, envelopes, labes, cards,<br/>books<br/>with demo on how to use and operate the<br/>unit<br/>one (1) year warranty<br/>delivery period: within the (10) days<br/>-----nothing follows-----</p> |
|---|---|

Issued this 23<sup>rd</sup> day of November 2021 at Lingayen, Pangasinan.

Prepared by:

**ARNULFO S. BERNARDO**  
Head, BAC Secretariat

Certified by:

**JOAN JUDE R. LOPEZ, LLB, MDM**  
BAC Chairperson